
Chris * Craft® 30' TOURNAMENT FISHERMAN

Dealer Name	
Address	44 Feb.
City & State	
Sold To	
Address	April 11 - 11 - 1 - 1
City & State	

Date	BSO No		_
Ship To			_
Address	an capitos com s		_
City & State	di ingir		_
Ship Via: Truck	Dealer Pick-up □	Rail 🗆	




-Specifications

														U.S. STD.	METRIC
SLEEPING	C	A	P	40	1	T١	1				ě			4 or 5	4 or 5
LENGTH.															9.19 m
BEAM														11'11"	3.63 m
DRAFT .															.81 m
FREEBOA	R	D,	F	0	R	W	A	R	D					4'6"	1.37 m
FREEBOA															.81 m

	U.S. STD.	METRIC
HEIGHT FROM WATERLINE (clearance)		
To Top of Anchor Light	11'7½"	3.54 m
To Top of Command Bridge	10'31/2"	3.13 m
WEIGHT (displacement est.)	13,000 lbs.	6 123 kg
FUEL CAPACITY	190 gals.	719.21
FRESH WATER CAPACITY	45 gals.	170.3

HULL - Material.												Fiberglass
Method .												Hand Layup
Finish		•										Gelcoat, Glossy
DECKS - Material												Fiberglass
Method.												Hand Layup
Finish .												Gelcoat, Textured
SUPERSTRUCTUR	RE		_	M	a	te	ri	al				Fiberglass
				M	e	th	0	d				Hand Layup
				F	in	is	h					Gelcoat, Glossy
												and Textured

Chris * Craft 30' TOURNAMENT FISHERMAN



	Boat List Price \$	
POWER		
	ENGINES-Chris-Craft 2-250 H.P.	
	2.0:1 Reduction, Hydraulic Shift	
	ENGINES—Diesel (will advise when avail	able)
□A024	_COOLING, Fresh Water, Includes	
	Water Strainers	1,100.00
□A023	_FILTERS, Fuel	110.00
	METERS, Engine Hour	Std.
	MUFFLERS	Std.
□A133	_STRAINERS, Water (Standard w/Fresh	
	Water Cooling)	260.00
HULL	ACHAROL HOLDER AND	
	BOOT TOP	Std.
	CHINE, Wave Deflecting	Std.
	LIGHT, Stern, S.S., to Coast Guard	
	Requirements	Std.
	PAINT, Bottom, Anti-Fouling	Std.
	RUB RAILS, 1", S.S.	Std.
□ A053	_STEPS, Transom, C.P., w/Teak	
	Leveling Blocks	180.00
	VENT, Fuel Overflow, Screened	Std.
	VENTILATORS, S.S., (2) Port, (2)	
	Starboard, to Coast Guard	
	Requirements	Std.
UNDERW	# 15 CENT 15 C	
	BEARINGS, Struts, Bronze, w/Fluted	-
	Rubber Liner	Std.
	PROPELLERS, Bronze, Three Blade	Std.
□A057	_PROPELLERS, Extra Pair	240.00
	RUDDERS, Bronze	Std.
	SEACOCKS, Thru Hull Fittings, Below	24.7
	Waterline	Std.
□A058	SHAFTS, S.S., 1¼" Dia. x 63"	Std. 110.00
□A056	SHAFT, Extra	110.00
	Sener His Financial	5111

	Total blought tottlara 4	
□ 4022	FIRE EXTINGUISHERS, (2), 2½ lb.	Std.
□A022	FISH BOX, Below Hatch,	405.00
	Each (w/o Plumbing)	135.00
□ A004	FISH BOX, Below Hatch, Insulated,	
	Each (w/o Plumbing)	150.00
	HATCH, Fuel Gauge, Direct Reading	Std.
	HATCH, Lazarette, (1), Fiberglass,	
	Forward, Optional Generator	Std.
	HATCHES, Engine, (2), Fiberglass	Std.
	HATCHES, Lazarette, (2), Fiberglass, Aft	Std.
	INLET, 115V, Starboard Side	Std.
	LADDER, Command Bridge, S.S., w/Teak	o tu.
	Treads	Std.
	LIGHT, Boarding, (1) Port, (1) Starboard	Std.
	SCUPPERS. P&S	Std.
MOODING		otu.
MOORING	G AND GROUND TACKLE	
	ANCHOR, 13 lb., Chocked on Forward	
	Deck	Std.
□A014	_BOAT HOOK AND CLIPS, 6'-9"	50.00
	CHOCK, Anchor & Mooring, S.S,6",P&S	Std.
	CLEAT, Anchor & Mooring, S.S., 10",	
	Forward	Std.
	CLEAT, Mooring, S.S., 8", Aft, P&S	Std.
□A013	FENDERS, 6"x15", Air Filled, Set of 4,	
	w/Line & Pump	50.00
	LINE, Anchor, 150' x 1/2" Nylon	Std.
LIGHTS		
LIGITIO	ANCHOD On Most	Std.
	ANCHOR, On Mast	Std.
□A034	INTERNATIONAL, Navigation	otu.
□A034	_SEARCHLIGHT, Manual, ½ Mile Ray,	355.00
□ A D2E	for Command Bridge, 12V	200,00
□A035	SEARCHLIGHT, Hand Portable Type,	EE OC
	w/Jack, 12V	55.00
ELECTRI	CAL	

	Total Brought Forward \$	
COMMANI	D BRIDGE (STANDARD) Includes the COVER, Instruments & Switches ENGINE INSTRUMENTATION, w/Ala System, Water Temp., Engine Oil, Tra Oil Temp., Voltmeter & Tachometers RAILS, Hand, S.S.	arm ansmission
	SEAT, Bench, Aft	
□ A126	_SEAT, Pilot Swivel	
	WHEEL, Steering	05.00
□A028	COMPASS, 3½" Illuminated	<u>8</u> 5.00
	DEPTH SOUNDER (See Electronics for	
	SEARCHLIGHT, Electric, Remote Con	itrol
	(See Lights for Price)	
□A131	_SEAT, Pilot, Bench type, In Place of	040.00
	Standard Swivel	340.00
	_TOP, Folding	365.00
	WINDSCREEN	140.00
FOREPEA	K	
	LOCKER, Rope, Scuppered to Bilge	Std.
FORWARI	D STATEROOM	
. •	BERTHS, Vee, w/Cushions	Std.
□A018	BERTH FILLER	65.00
	CARPETING	Std.
□A032	CURTAIN, Privacy	95.00
	DOORS, Below Berths (1) Port,	
	(1) Starboard	Std.
	DRESSER, w/4 Drawers, Aft of	
	Starboard Hanging Locker	Std.
	HATCH, Fiberglass, Screened	Std.
	LOCKER, Hanging, P&S	Std.
	OUTLET, (1), 115V Duplex	Std.
	SHELVES, Storage, P&S	Std.
	SHIPSIDES, Fiberglass	Std.
HEAD	one and direction confident for the reside ₹ Control	

Intakes, Bronze STRUTS, Main, Bronze STUFFING BOX, Bronze, Adjustable,	Sta. Std.	□A139GENERATING PLANT, 4 KW, Gasoline, 115V, Fresh Water Cooled,	LOCKER, Linen Std. OUTLET, (1), 115V Duplex Std.
w/Packing Gland	Std.	w/Muffler, Fuel Filter 2,690.00	A050SHOWER, (Must include optional hot
☐ A145TRIM TABS, Electro Mechanical, w/Controls at Bridge (For Boats	590.00	LIGHTNING/SURGE ARRESTER Std. OUTLETS, Additional, Duplex 115V AC, Each 45.00	and cold water pressure system 390.00 SOAP DISH Std.
without Optional Lower Controls) A056ZINCS, Anti-Electrolysis	145.00	A041OUTLETS, Additional, Duplex 115V,	TISSUE HOLDER, (1) Std. A129TOILET, Manual* Std.
	143,00	Waterproof, Each 55.00 PANELS, Electrical Distribution, AC-DC Std.	Chlorinator, In Place of Standard* 370.00
SUPERSTRUCTURE A128HORN, Single Trumpet, Bridge Mount	Std.	A043RECTIFIER, 20 Amp, Battery Charger,	A138TOILET, Electric, w/Macerator and
☐ A134HORN, Dual Trumpet, Bridge Mount, In Place of Standard	45.00	SWITCH, Battery Disconnect Std.	Chlorinator, In Place of Standard. Includes Holding Tank, Overboard and
MAST, Fold Down, w/Anchor & Bow		SWITCH, Battery Paralleling Std. WIRING, Dockside, 1 - 115V AC, 30 Amp.	Dockside Discharge, w/Manual Pumpout* 1350.00
Light RAILS, Hand, S.S., Side of Bridge, P&S	Std. Std.	Inlet, and 4 Duplex Outlets, w/25'	TOWEL BAR, (1) Std.
WINDSHIELD WIPER, (standard w/lowe controls)	r	3-Conductor, Ship to Shore Cable & Adapter Std.	WASH BASIN Std. WATER SYSTEM, Manual Std.
		ELECTRONICS	GALLEY CARPETING Std.
FOREDECK ANCHOR, 13 lb.	Std.	□ A029 DEPTH SOUNDER, Lower Station 360.00 □ A030 DEPTH SOUNDER, Command Bridge 390.00	COUNTERTOP, HPL Std. DRAPERIES, (See Miscellaneous for Price)
CHOCK, S.S., 6", P&S CLEAT, S.S., 10"	Std. Std.	□A135RADIO TELEPHONE, VHF-FM 12 Channels w/Antenna, fully crystalized. Does not	FIRE EXTINGUISHER, 2½ lb. Std.
HATCH, Fiberglass, w/Screen	Std.	include final tuning & testing 1650.00	LIGHT, (1), 12V Std. LOCKERS, Teak, (2), for Dishes,
□ A011PIPE, Rope Deck, S.S. □ A051RAIL, Bow, 24" High, S.S.,	60.00	□A020STEREO TAPE PLAYER, 12V, w/2 Speakers 300.00	Groceries, etc. Std.
w/Stanchions STAFF & PENNANT, Bow, S.S.	630.00 Std.	ENGINE ROOM	REFRIGERATOR, 115V, 6.6 Cu. Ft. Std.
SIDE DECKS	Ota.	BATTERIES, (4), 2-6V to make 12V, 140 Ampere Hour Std.	SINK, S.S., w/Single Pump Faucet Std. STORAGE, Under Galley Floor Std.
CLEATS, Spring, S.S., 10", (2) Port,	0.1	BATTERY BOXES, w/Covers Std. BLOWER, Bilge, 12V Std.	STOVE, 2-Burner, Alcohol & Electric Std.
(2) Starboard HAWSE HOLES , S.S., Aft, P&S	Std. Std.	□ A047EXTINGUISHER, Fire, Automatic 950.00	WALL COVERING, Teak Std. WATER SYSTEM, Manual Std.
A052LADDER, B&S, Side Mount, w/Mounting Plates, P&S	260.00	GENERATOR, 4 KW, Gasoline, Forward (See Electrical for Price)	WATER SYSTEM, Hot & Cold, 115V AC (See Engine Room for Price)
ROD HOLDERS, P&S	Std.	□A049WATER PRESSURE SYSTEM, Hot & Cold, w/Hot Water Tank and	DINETTE WINDOWS, Sliding, w/Screens Std.
A140ROD HOLDERS, Additional, (2)	55.00	115V Immersion Unit 595.00	□A127 DINETTE, (STANDARD) Includes the following
AFT DECK FUEL FILL, S.S.	Std.	BILGES PLUG, Hull Drain Std.	CARPETING CONVERTS TO BERTH
STAFF & FLAG, Stern, Teak Staff & S.S. Base	Std.	PUMPS, Bilge, (2), 12V, Standby Std.	DRAWERS, (2)
LAZARETTE		SEACOCKS, on Thru Hull Fittings, Below Waterline Std.	LIGHT, (1), 12V OUTLET, (1), 115V Duplex
HATCHES, Flush from Deck STEERING ARM	Std. Std.	□A125TANK, Fiberglass, Holding* (w/o Plumbing) 650.00	SEATS & SEAT BACKS, Upholstered TABLE, w/Stanchion
STORAGE STUFFING BOXES, Rudder	Std.	TANKS, Fiberglass, Fuel and Water Std.	TRIM, Teak WALL COVERING, Teak
TANK, Fuel, Fiberglass, w/Overboard	Std.	LOWER CONTROLS A033 REPLACES STARBOARD HANGING	WINDOWS, Sliding, w/Screens
Overflow Vent VALVES, Fuel Line Shutoff	Std. Std.	LOCKER, and Includes the following 2,850.00	DRAPERIES (See Miscellaneous for Price) A044LOUNGE, L-Shaped, Sleeps 3,
COCKPIT		CONTROLS, Clutch & Throttle, Positive	Seat Back makes Upper Berth— Replaces Dinette 550.00
MATERIAL, Fiberglass, 10'3''x9'8'' FINISH, Gelcoat, Textured		Action SEAT, Helm, w/Footrest	A142TABLE, Dropleaf, Sliding, for use with
BULKHEAD, w/Door & Fixed Window to Enclose Deckhouse	Std.	SWITCHES, Ignition TACHOMETER	Optional L-Shaped Lounge 400.00 MISCELLANEOUS
□A130CHAIR, Fishing (Chris-Craft),	275.00	TRIM TABS	BELL, Fog Std. □A059CRADLE, Domestic 340.00
Place Aboard CLEATS, Mooring, S.S., 10", P&S	Std.	WHEEL, Steering, S.S. WIPER, Starboard	CUSHION, Life, (1) Std.
☐ A132 CUSHION, for Engine Box, Starboard ☐ A017 CUSHION, for Engine Box, P&S	85.00 170.00	□A027COMPASS, 3½" Illuminated 85.00 □A055WIPER, Port 75.00	□A019 DRAPERIES 425.00 JACKETS, Life, (5) Std.
			MANUAL, Owners, (1) Std.
			Total Cost \$
Carry Total Forward \$		Carry Total Forward \$	Deposit \$
			Balance \$

(*) DEALER REPRESENTS THAT THE MARINE TOILET(S) SPECIFIED IN THIS ORDER DOES OR WILL COMPLY WITH ANY APPLICABLE LAWS OF THE STATE(S) IN WHICH THE DEALER IS LOCATED AND IN WHICH THE BOAT WILL BE SOLD.

ALL PRICES ARE F.O.B. FACTORY, PRICES AND SPECIFICATIONS CONTAINED IN THIS LITERATURE ARE BASED ON THE LATEST PRODUCT INFORMATION AVAILABLE AT THE TIME OF PUBLICATION APPROVAL. OPTIONAL EQUIPMENT PRICES APPLY ONLY WHEN INCLUDED ON THE ORIGINAL ORDER AND INVOICED WITH SAME. THE RIGHT IS RESERVED TO MAKE CHANGES AT ANY TIME WITHOUT NOTICE IN PRICES, COLORS, MATERIALS, EQUIPMENT, SPECIFICATIONS AND MODELS AND ALSO TO DISCONTINUE MODELS. EQUIPMENT AND ACCESSORIES PICTURED BUT NOT INCLUDED IN THE LIST OF STANDARD EQUIPMENT ITEMS WILL BE FURNISHED AT EXTRA COST IF AVAILABLE IRRESPECTIVE OF THE PLACE OF MANUFACTURE. THE RIGHT

IS RESERVED TO SHIP FROM ANY CHRIS-CRAFT FACTORY, ALL ORDERS ACCEPTED SUBJECT TO PRICES PREVAILING AT THE TIME OF SHIPMENT, CHRIS-CRAFT SHALL NOT BE LIABLE FOR ANY LOSS OR DAMAGE BECAUSE OF FAILURE TO DELIVER ITS PRODUCTS OR BECAUSE OF DELAY IN THE DELIVERY OF SAME, IF DEALER FAILS TO ACCEPT AND PAY FOR THE BOAT AND EQUIPMENT ORDERED HEREUNDER WHEN READY FOR DELIVERY, CHRIS-CRAFT MAY RETAIN AS LIQUIDATED DAMAGES AND NOT AS A PENALTY, DEALER'S DEPOSIT HEREUNDER WITHOUT PREJUDICE TO OTHER RIGHTS OR REMEDIES, ORDERS ARE SUBJECT TO ACCEPTANCE ONLY AT CHRIS-CRAFT CORPORATION, POMPANO BEACH, FLORIDA, 33060.

Chris + Craff CORPORATION / 555 SOUTHWEST 12TH AVENUE, POMPANO BEACH, FLORIDA 33060 (305) 946-4000

COPYRIGHT 1976-CHRIS-CRAFT CORPORATION

10/75-5M PRINTED IN U.S.A. 1614 12/75-10M