

Chris-Craft®

**30' COMMANDER
SPORTSMAN**

Dealer Name _____

Date _____ BSO No. _____

Address _____

Ship To _____

City & State _____

Address _____


Sold To _____

City & State _____

Address _____

Ship Via: Truck Dealer Pick-up Rail

City & State _____




Specifications

	U.S. STD.	METRIC
SLEEPING CAPACITY	2-4	2-4
LENGTH	30'1 1/2"	9.19 m
BEAM	11'11"	3.63 m
DRAFT	2'8"	.81 m
FREEBOARD, FORWARD	4'6"	1.37 m
FREEBOARD, AFT	2'8"	.81 m

	U.S. STD.	METRIC
HEIGHT FROM WATERLINE (Clearance)		
To Top of Anchor Light	8'6"	2.58 m
WEIGHT (displacement est.)	12,300 lbs.	5,579 kg
FUEL CAPACITY	184 gals.	696.4 l
FRESH WATER CAPACITY (Opt.)	45 gals.	170.3 l

HULL - Material	Fiberglass
Method	Hand Layup
Finish	Gelcoat, Glossy
DECKS - Material	Fiberglass
Method	Hand Layup
Finish	Gelcoat, Textured
SUPERSTRUCTURE - Material	Fiberglass
Method	Hand Layup
Finish	Gelcoat, Glossy and Textured

Chris-Craft® 30' COMMANDER SPORTSMAN



Boat List Price \$	
POWER	
<input type="checkbox"/> A436	ENGINES—Chris-Craft 2-225 H.P., 305 Cu.In., 2.0:1 Reduction, Hydraulic Shift
<input checked="" type="checkbox"/> A437	ENGINES—Chris-Craft 2-250 H.P., 350 Cu.In., 2.0:1 Reduction, Hydraulic Shift
<input type="checkbox"/> A438	ENGINES—2-210 H.P. Renault Diesels
<input type="checkbox"/> A200	COOLING, Fresh Water, Includes Water Strainers
<input checked="" type="checkbox"/> A201	FILTERS, Fuel
	METERS, Engine Hour
	MUFFLERS
<input type="checkbox"/> A202	STRAINERS, Water, (Standard w/Fresh Water Cooling)
HULL	
	BOOT TOP
	CHINE, Wave Deflecting
	LIGHT, Stern, S.S., to Coast Guard Requirements
	PAINT, Bottom, Anti-Fouling
	RUB RAILS, 1"
<input checked="" type="checkbox"/> A203	STEPS, Transom, C.P., w/Teak Leveling Blocks
	VENT, Fuel, Screened
	VENTILATORS, S.S., (2) Port, (2) Starboard
UNDERWATER	

1,190.00

140.00

Std.

Std.

280.00

Std.

Std.

Std.

Std.

Std.

220.00

Std.

Std.

Total Brought Forward \$	
LAZARETTE	
	HATCHES, Flush from Deck
	STEERING ARM
	STORAGE
	STUFFING BOXES, Rudder
	TANK, Fuel, w/Overboard Overflow Vent
	VALVES, Fuel Line Shutoff
COCKPIT	
	MATERIAL, Fiberglass, 10'3" x 9'8"
	FINISH, Gelcoat, Textured
	CLEATS, Mooring, S.S., 10", P&S
<input checked="" type="checkbox"/> A215	CUSHION, for Engine Box, P&S
<input checked="" type="checkbox"/> A217	FIRE EXTINGUISHER, 2½ lb. (w/o Plumbing)
<input type="checkbox"/> A218	FISH BOX, Insulated, Below Hatch
	FUEL GAUGE, Direct Reading
	HATCH, Lazarette, (1), Fiberglass, Forward, Between Engines
	HATCHES, Engine, (2), Fiberglass
	HATCHES, Lazarette, (2), Fiberglass, Aft
	INLET, 115V, Starboard Side (Included w/Optional Dockside Wiring)
	LIGHT, Boarding, (1) Port, (1) Starboard
	SCUPPERS, P&S

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

150.00

190.00

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Total Brought Forward \$	
ENGINE INSTRUMENTATION , Water Temp., Engine Oil Indicators, Transmission Oil Temperature, & Alternator Warning Lights	Std.
SEAT, Helm, w/Footrest, 28"	Std.
SWITCHES, Including Ignition	Std.
TACHOMETERS, (2)	Std.
WHEEL, Steering, S.S.	Std.
WIPER, Starboard	Std.
<input checked="" type="checkbox"/> A208	WIPER, Port
FOREPEAK	
	LOCKER, Rope, Scupper to Bilge
FORWARD STATEROOM	
	BERTH, Platforms
<input checked="" type="checkbox"/> A228	BERTH FILLER
<input checked="" type="checkbox"/> A236	BERTH MATTRESSES, Upholstered
	HATCH, Fiberglass, Screened
	LIGHT, 12V, (1)
	LOCKER, Below Berths, P&S
	LOCKER, Hanging, Starboard
	OUTLET, (1), 115V Duplex (Included w/Optional Dockside Wiring)
	SHIPSIDES, Carpet
TOILET COMPARTMENT	
	TISSUE HOLDER, (1) (Included w/Optional Toilet)
<input type="checkbox"/> A240	TOILET, Monomastic II, Manual w/Dock-

Std.

Std.

Std.

Std.

Std.

Std.

110.00

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

Std.

BEARINGS, Struts, Bronze, w/Fluted Rubber Liner		Std.
<input type="checkbox"/> A439	PROPELLERS, Extra Pair, C.C. 225 H.P.	252.00
<input checked="" type="checkbox"/> A204	PROPELLERS, Extra Pair, C.C. 250 H.P.	252.00
<input type="checkbox"/> A440	PROPELLERS, Extra Pair, Renault 210 H.P.	252.00
RUDDERS, Bronze		Std.
SEACOCKS, Thru Hull Fittings, Below Waterline		Std.
<input type="checkbox"/> A441	SHAFT, Extra, 225 H.P.	130.00
<input type="checkbox"/> A205	SHAFT, Extra, 250 H.P.	130.00
<input type="checkbox"/> A442	SHAFT, Extra, 210 H.P.	130.00
SHAFT LOGS, Fiberglass		Std.
STRAINER, Water, External Engine Intakes, Bronze		Std.
STRUTS, Main, Bronze		Std.
STUFFING BOX, Bronze, Adjustable, w/Packing Gland		Std.
<input checked="" type="checkbox"/> A443	TRIM TABS, Electro Mechanical	680.00
<input type="checkbox"/> A206	ZINCS, Anti-Electrolysis	155.00
SUPERSTRUCTURE		
<input checked="" type="checkbox"/> A237	CURTAIN, Aft Drop, Folding Top to Deck (Requires Folding Top)	235.00
MAST, Fold Down, w/Anchor and Bow Light		Std.
SIDESHIELD, Glass Forward, Curtain Aft		Std.
<input checked="" type="checkbox"/> A207	TOP, Folding	565.00
WINDSHIELD, Ventilating, w/Teak Cap		Std.
WINDSHIELD WIPER, Starboard		Std.
<input type="checkbox"/> A208	WINDSHIELD WIPER, Port, Extra (See Controls for Price)	
FOREDECK		
ANCHOR, 13 lb., Chocked		Std.
CHOCK, S.S., 6", P&S		Std.
CLEAT, S.S., 10"		Std.
HATCH, Fiberglass, w/Screen		Std.
HORN, Dual Trumpet		Std.
<input checked="" type="checkbox"/> A209	PIPE, Rope Deck, S.S.	75.00
<input checked="" type="checkbox"/> A210	RAIL, Bow, 24" High, S.S., w/Stanchions	670.00
STAFF & PENNANT, Bow, S.S., (w/Optional Bow Rail)		Std.
SIDE DECKS		
CLEATS, Spring, S.S., 8", (2) Port, (2) Starboard		Std.
HAWSEHOLES, S.S., Aft, P&S		Std.
<input type="checkbox"/> A211	LADDER, B&S, Side Mount, w/Mounting Plates, P&S	290.00
<input checked="" type="checkbox"/> A212	ROD HOLDERS, P&S	60.00
AFT DECK		
FUEL FILL, S.S.		Std.
STAFF & FLAG, Stern, Teak Staff and S.S. Base		Std.

Carry Total Forward \$ _____

MOORING AND GROUND TACKLE		
ANCHOR, 13 lb., Chocked on Forward Deck		Std.
<input type="checkbox"/> A219	BOAT HOOK AND CLIPS, 6.9"	65.00
CHOCK, Anchor & Mooring, S.S., 6", P&S		Std.
CLEAT, Anchor & Mooring, S.S., 10", Forward		Std.
CLEAT, Mooring, S.S., 10", Aft, P&S		Std.
<input type="checkbox"/> A220	FENDERS, 6"x15", Air Filled, Set of 4, w/Line and Pump	50.00
LINE, Anchor, 150' x 1/2" Nylon		Std.
LIGHTS		
ANCHOR, On Mast		Std.
INTERNATIONAL, Navigation		Std.
<input checked="" type="checkbox"/> A221	SEARCHLIGHT, Hand Portable Type, w/Jack, 12V	95.00
ELECTRICAL		
CIRCUIT BREAKER FUSING, DC		Std.
PANELS, Electrical Distribution, DC		Std.
<input checked="" type="checkbox"/> A222	RECTIFIER, 20 Amp, w/Charge Divider (Requires Optional Dockside Wiring)	325.00
SWITCH, Battery Paralleling		Std.
<input checked="" type="checkbox"/> A223	WIRING, Dockside, 1-115V AC, 30 Amp. Inlet, and 4 Duplex Outlets, w/25' 3-Conductor, Ship to Shore Cable. Includes Lightning Surge Arrester	650.00
ELECTRONICS		
<input checked="" type="checkbox"/> A224	DEPTH SOUNDER <i>DATAMARINE</i>	420.00
<input checked="" type="checkbox"/> A225	RADIO TELEPHONE, VHF-FM 12 Channels w/Antenna, fully crystalized. Does not include final tuning and testing	2,050.00
MODAR		
ENGINE ROOM		
BATTERIES, (4), 2-6V in Series for 12V, 140 Ampere Hour		Std.
BATTERY BOXES, w/Covers		Std.
BLOWER, Bilge, 12V		Std.
<input checked="" type="checkbox"/> A226	EXTINGUISHER, Fire, Automatic	3,200.00
BILGES		
PLUG, Hull Drain		Std.
PUMPS, Bilge, (2), 12V, Standby		Std.
SEACOCKS, on Thru Hull Fittings, Below Waterline		Std.
TANK, Holding, for Raritan Toilet, 30 gal., Aluminum, w/Dockside Discharge (See Head for Price)		
CONTROLS		
<input checked="" type="checkbox"/> A227	COMPASS, 5", Illuminated	325.00
CONTROLS, Single Lever Clutch and Throttle, Positive Action		Std.

Carry Total Forward \$ _____

side Discharge*		510.00
<input type="checkbox"/> A241	TOILET, Monomatic ISE, Electric w/Dockside Discharge*	650.00
<input type="checkbox"/> A230	TOILET, Handihead, Manual, Dockside Discharge	275.00
<input type="checkbox"/> A254	TOILET, Raritan Electric, Includes Holding Tank	1,125.00
GALLEY		
<input checked="" type="checkbox"/> A231	GALLEY, (Optional), Includes the following	1,325.00
COUNTERTOP, HPL		
ICE BOX, 4.5 Cu. Ft.		
LOCKER, Teak, for Dishes, Groceries, etc.		
SINK, S.S., w/Single Pump Faucet		
STORAGE, Under Galley Floor		
TANK, Water		
WATER SYSTEM, Manual		
OUTLET, (1), 115V Duplex, Waterproof (included w/Optional Dockside Wiring)		
<input checked="" type="checkbox"/> A154	GALLEY, Same as A231 Except Refrigerator, 12V/115V, in Place of Ice Box Includes Increased Capacity Engine Batteries, Isolator Splitter & Circuit Breaker. (Requires Optional Dockside Wiring for 115V)	2,195.00
DINETTE		
<input checked="" type="checkbox"/> A234	DINETTE, U-Shaped, (Optional) Includes the following	1,175.00
CONVERTS TO BERTH		
DRAWERS, (2)		
SEATS AND SEAT BACKS, Upholstered		
TABLE, Hi-Lo, w/Stanchion		
TRIM, Teak		
OUTLET, (1), 115V Duplex, Waterproof (included w/Optional Dockside Wiring)		
MISCELLANEOUS		
BELL, Fog		Std.
<input type="checkbox"/> A235	CRADLE	490.00
CUSHION, Life, (1)		Std.
JACKETS, Life, (2)		Std.
MANUAL, Owners, (1)		Std.
Total Cost \$		_____
Deposit \$		_____
Balance \$		_____